

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandra, Virginia 22313-1450 www.uspto.gov

ATTORNEY DOCKET NO. FIRST NAMED INVENTOR CONFIRMATION NO. APPLICATION NO. FILING DATE 09/844,273 04/30/2001 Siegfried Ruthardt R.37659 1054 2119 7590 10/03/2003 **EXAMINER** RONALD E. GREIGG GORMAN, DARREN W GREIGG & GREIGG P.L.L.C. ART UNIT PAPER NUMBER 1423 POWHATAN STREET, UNIT ONE ALEXANDRIA, VA 22314 3752

DATE MAILED: 10/03/2003

17

Please find below and/or attached an Office communication concerning this application or proceeding.

	14
Application No. Applicant(s)	1
09/844,273 RUTHARDT ET AL.	
Office Action Summary Examiner Art Unit	
Darren W Gorman 3752	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply	
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply vill, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).	
1) Responsive to communication(s) filed on 25 July 2003.	
2a) This action is <b>FINAL</b> . 2b) This action is non-final.	
3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is	
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. <b>Disposition of Claims</b>	
4) Claim(s) 1-30 is/are pending in the application.	
4a) Of the above claim(s) 5.6.14-17,20,21 and 25 is/are withdrawn from consideration.	
5) Claim(s) is/are allowed.	
6)⊠ Claim(s) <u>1-4,7-9,13,18,19,22-24,26,27,29 and 30</u> is/are rejected.	
7)⊠ Claim(s) <u>10-12 and 28</u> is/are objected to.	
8) Claim(s) are subject to restriction and/or election requirement.	
Application Papers	
9)∐ The specification is objected to by the Examiner.	
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.	
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).	
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.	
If approved, corrected drawings are required in reply to this Office action.	
12) The oath or declaration is objected to by the Examiner.	
Priority under 35 U.S.C. §§ 119 and 120	
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).	
a) All b) Some * c) None of:	
1. Certified copies of the priority documents have been received.	
2. Certified copies of the priority documents have been received in Application No	
<ul> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>	
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application)	
a) ☐ The translation of the foreign language provisional application has been received.  15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.	
Attachment(s)	
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)  4) Interview Summary (PTO-413) Paper No(s)  5) Notice of Informal Patent Application (PTO-152)  6) Other:	

Art Unit: 3752

#### DETAILED ACTION

# Response to Amendment

1. This communication is in response to the amendment filed on July 25, 2003.

## Claim Objections

2. The language of claims 1-30 is generally difficult to understand due to unclear grammar.

Applicant's assistance would be greatly appreciated in order to clarify the claim language.

#### Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:
  - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter, which the applicant regards as his invention.
- 4. Claims 2-4, 8, 13, 18, 19, 22-24, 26, 27, 29, and 30 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 2, it is unclear whether the blind bore as recited is embodied centrally in the nozzle needle or centrally in the valve piston. The drawings seem to show a blind bore embodied centrally in the valve piston, however the claim reads as if the blind bore is embodied in the nozzle needle.

Regarding claim 3, it is unclear as to whether the valve piston itself forms a unit, and alternatively the thrust rod and guide sleeve form an equivalent unit, or if this portion of the claim has an entirely different meaning. Also, it is unclear as to whether the blind bore recited in

Art Unit: 3752

the claim is only formed in the unit, which comprises the valve piston with the thrust rod, or if the blind bore is also formed in the unit which does not include the thrust rod.

Regarding claim 4, it is unclear how the thrust peg as recited can protrude on the end of the thrust rod toward the nozzle needle.

Claim 13 is unclear for the reasons discussed above with regard to claim 3, and claim 13 is also unclear regarding how the thrust peg as recited can protrude on the end of the thrust rod toward the nozzle needle.

## Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- Claims 1, 7, and 9 are rejected under 35 U.S.C. 102(b) as being anticipated by 6. Koenigswieser et al., USPN 5,413,076.

Koenigswieser shows a common rail injector having an injector housing which communicates with a central high-pressure reservoir and in which a nozzle needle (59) that cooperates with a valve piston (49) which is guided in a valve piece (67) is axially displaceable, the improvement wherein the end of the nozzle needle toward the valve piston protrudes into a guide sleeve (29, 31), in which the end of the valve piston oriented toward the nozzle needle is received (see Figure 2).

Art Unit: 3752

Regarding claim 7, in the context of Applicant's disclosure and as shown in Applicant's elected Figure 9, the flat surface of the face end of the guide sleeve remote from the nozzle needle of Koenigwieser is capable of retaining a nozzle spring (see Figure 2).

Regarding claim 9, Koenigswieser also shows the injector further comprising an adjusting piece (no reference number) disposed between the nozzle needle and the valve piston (see Figure 2).

# Allowable Subject Matter

7. Claims 10-12, and 28 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

### Response to Arguments

8. Applicant's arguments with respect to claim 1 have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Darren W Gorman whose telephone number is 703-306-4205. The examiner can normally be reached on M-F 8:00-4:30.

Art Unit: 3752

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Mar can be reached on 703-308-2087. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0861.

Darren W Gorman Examiner Art Unit 3752 Page 5

DWG

September 29, 2003

MICHAEL MAR SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 3700